

Belden PDU Specification

Part #: 9BO4-301001

Description:

Basic, Upgradeable, 35A, 208V DELTA, 3 Phase, Vertical, (24) Locking IEC C13, (6) Locking IEC C19, breakered, 10 ft power cord with 3P+E CA, No Monitoring (Upgradeable with IMD module). Black Powder Coat.



Specification:

1.	Monitoring	No Monitoring (Upgradeable with IMD module)
2.	Quantity Of Inputs	1
3.	Voltage	208V Delta
4.	Current	35A x 3 Phase DELTA
5.	VA per Input (Load Capacity)	10.0kW
6.	Frequency	50/60 Hz
7.	Over Current Protection	(3) 20A Double Pole Magnetic Breakers
8.	Switch	Breaker/Switch Combination
9.	Power Cable Wire Gauge	8/4
10.	Power Cable Length	10ft
11.	Power Entry Location	Bottom Front
12.	Plug Type	California Style 50A, 250V, 3P/4W Twistlock
13.	Combined Total Receptacle/Socket Quantity	30
14.	Receptacle/Socket Type #1	U-Lock IEC C13
15.	- Quantity on Face	24
16.	- Quantity per Breaker and Phase Combination	8
17.	- U-Lock Color ID	3 Circuit = Orange, Green, Blue
18.	- Style	Individual
19.	- Voltage per Receptacle/Socket	208V
20.	Receptacle/Socket Type #2	U-Lock IEC C19
21.	- Quantity on Face	6
22.	- Quantity per Breaker and Phase Combination	2
23.	- U-Lock Color ID	3 Circuit = Orange, Green, Blue
24.	- Style	Individual
25.	- Voltage per Receptacle/Socket	208V
26.	Maximum Operating Temperature	60C / 140F
27.	Heavy Steel - Powder Coat Finish	Black
28.	Configuration	72in / 1829mm Vertical Rackmount
29.	7938 Vertical Mounting Bracket Kit	Yes
30.	Toolless Mounting Hardware - Center to Center Spacing	61.25in and 64.75in
31.	Made in the USA	Yes
32.	Product Warranty	5-year limited warranty if registered within 120 days of purchase, otherwise warranty defaults to 3 years
33.	Certification/Agency Approvals	FCC Part 15 Class A Conformance
34.	Certification/Agency Approvals	RoHS Compliant
35.	Certification/Agency Approvals	UL & c-UL Listed 60950

Belden PDU Specification



Part #: 9BO4-301001

36.	Chassis Dimensions (LxWxD)	72in x 2in x 2in
37.	Shipped Weight	17lbs (7.71kg)

To ensure customer satisfaction with this product, prior to acceptance of an order, Belden requires a signature of approval for the specification above.

Company: _____

Authorized
Customer Signature: _____ Date: _____