

Product: <u>0985 806 124</u> ☑




Fast Ethernet Cat 5e, high-flex, double-ended cord set, M12 male, right angle to M12 male right angle, 4-pin, D-coding, 24 AWG TPE cable, stranded/unshielded, 2 twisted bonded pair with teal jacket.

Product Description

Fast Ethernet Cat 5e, high-flex, double-ended cord set, M12 male, right angle to M12 male right angle, 4-pin, D-coding, 24 AWG TPE cable, stranded/unshielded, 2 twisted bonded pair with teal jacket.

Technical Drawing



Technical Specifications

Product Description

Product Family:	Data Connectors
Brand:	Lumberg Automation
Connector Type:	Cordset, double ended
Shielding:	Unshielded
Rated Voltage:	60 V
Rated Impulse Voltage:	1.5 kV
Operating Voltage:	250V
Rated Current*:	4 A
Data Transmission:	Fast Ethernet Cat5e
Data Transmission Rate:	100 Mbit/s

Technical Data Side 1

Product Sub Family:	M12 Standard
Type of Contact / Gender:	Pin Contact / Male
Connector Design:	Angled
Attachment Type:	Coupling Screw
Number of Pins:	4
Coding:	D
Contact Resistance:	≤ 10 mOhm
Insulation Resistance:	250V
Mating Cycles:	≤ 100
Cable Gland:	M 22x2
Ambient Temperature (Operation)*:	- 40 °C - + 75 °C

Protection Degree / IP Rating**:	IP68
Design Standard:	IEC 61076-2-101
Pollution Degree:	3 acc. to DIN EN 60664-1 (VDE 0110-1)
Overvoltage Category:	III acc. to DIN EN 60664-1 (VDE 0110-1)
Contact Base Material:	Copper and Tin (CuSn)
Contact Plating:	Copper over Gold (Cu/Au)
Contact Bearer Material:	Thermoplastic Polyurethane (TPU)
Contact Bearer Color:	Black
Flammability Class (Contact Bearer):	UL 94 HB
Molded Body Material:	TPU
Molded Body Color:	Black
Flammability Class (Molded Body):	UL 94 HB
Housing Material:	PA 66-GF 25
Housing Color:	black
Attachment Material:	Brass (Cu/Zn)
Attachment Plating:	Nickel (Ni)
O-Ring Material:	NBR
Fastening Torque (Attachment):	M 12x1: (50-60) Ncm, hand-tight
Accessories to Order Separately:	can be plugged into CA 6 LS, CA 6 GS;brcap CA 00 SD 3,brorder no. 831 532-400

Cable Data

Cable Number:	806
Conductor Size:	24 AWG
Number of Wires:	4 (2 twisted pairs)
Minimal Bending Radius (Fixed Inst):	.250"
Cycles (Bending):	> 2 M
Conductor material:	Cu
Cable Jacket Material:	Thermoplastic Elastomer (TPE)
Cable Jacket Color:	Teal
Cable Diameter D:	.275"
Wire Insulation Material:	PO
Insulated Wire Diameter:	.037"
Ambient Temperature (Fixed Installation):	-50°C + 75°C
UL Cable Type:	Cat 5e
Flammability Class (Cable Jacket):	UL: CMR / CSA: CMG
Core Colors:	White / Orange, White / Green, Orange, Green

Technical Data Side 2

Product Sub Family, Side 2:	M12 Standard
Type of Contact / Gender, Side 2:	Pin Contact / Male
Connector Design, Side 2:	Angled
Attachment Type, Side 2:	Coupling Screw
Number of Pins, Side 2:	4
Coding, Side 2:	D
Contact Resistance, Side 2:	≤ 10 mOhm
Insulation Resistance, Side 2:	> 10^9 Ohm
Mating Cycles, Side 2:	≤ 100
Ambient Temperature (Operation), Side 2*:	- 40 °C - + 75 °C
Protection Degree / IP Rating, Side 2**:	IP68
Design Standard, Side 2:	IEC 61076-2-101
Pollution Degree, Side 2:	3 acc. to DIN EN 60664-1 (VDE 0110-1)
Overvoltage Category, Side 2:	III acc. to DIN EN 60664-1 (VDE 0110-1)
Contact Base Material, Side 2:	Copper and Tin (CuSn)
Contact Plating, Side 2:	Copper over Gold (Cu/Au)
Contact Bearer Material, Side 2:	Thermoplastic Polyurethane (TPU)
Contact Bearer Color, Side 2:	Black
Flammability Class (Contact Bearer), Side 2:	UL 94 HB

Molded Body Material, Side 2:	Thermoplastic Polyurethane (TPU)
Molded Body Color, Side 2:	Black
Flammability Class (Molded Body), Side 2:	UL 94 HB
Attachment Material, Side 2:	Brass (Cu/Zn)
Attachment Plating, Side 2:	Nickel (Ni)
Fastening Torque (Attachment), Side 2:	M 12x1: (50-60) Ncm, hand-tight

Safety & Environmental Compliance

RoHS Compliant:	yes

Notes

Protection Degree / IP Rating Note:	IP Rating tested according to IEC standard using combination of a Hirschmann or Lumberg Automation connector mounted and locked
Note Derating:	Notice derating

History

Update and Revision:	Revision Number: 0.40 Revision Date: 07-07-2025

Variants

Item # Item Description Cable Length 900005029 9885 806 124/0.15M 0.15 m 900004247 0985 806 124/0.5M 0.3 m 900004175 0985 806 124/0.6M 0.6 m 900004178 0985 806 124/1M 1 m 900004180 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/5M 5 m 900004566 0985 806 124/5M 5 m 900004567 0985 806 124/6M 6 m 900004568 0985 806 124/6M 6 m 900004569 0985 806 124/3M 9 m 900004570 0985 806 124/1M 10 m 900004571 0985 806 124/10M 10 m 900004572 0985 806 124/14M 14 m 900004573 0985 806 124/15M 18 m 900004574 0985 806 124/20M 20 m 900004575 0985 806 124/20M 20 m 900004574 0985 806 124/2M 25 m 900004575 0985 806 124/25M 25 m	variants		
900004247 0985 806 124/0.3M 0.3 m 900004175 0985 806 124/0.6M 0.6 m 900004178 0985 806 124/1M 1 m 900004178 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/4M 4 m 900004186 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 8 m 900004569 0985 806 124/1M 10 m 900004570 0985 806 124/1M 10 m 900004571 0985 806 124/1M 12 m 900004572 0985 806 124/1M 15 m 900004572 0985 806 124/1M 15 m 900004573 0985 806 124/2M 20 m 900004574 0985 806 124/2M 20 m 900004575 0985 806 124/2M 20 m 900004570 0985 806 124/2M 20 m 900004571 0985 806 124/2M 25 m 900004572 0985 806 124/2M 27 m 900004573 0985 806 124/2M 27 m 900004574 0985 806 124/2M 27 m 900004575 0985 806 124/2M 30 m 900004576 0985 806 124/30M 30 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 40 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/5M 55 m 900004185 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 55 m 900004187 0985 806 124/5M 56 m 900004188 0985 806 124/5M 60 m 900004578 0985 806 124/5M 70 m	Item #	Item Description	Cable Length
900004175 0985 806 124/0.5M 0.5 m 900004563 0985 806 124/0.6M 0.6 m 900004178 0985 806 124/1M 1 m 900004180 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/4M 4 m 900004186 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 8 m 900004569 0985 806 124/9M 9 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/10M 12 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/14M 15 m 900004572 0985 806 124/15M 15 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/24M 27 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/25M 30 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/35M 35 m 900004184 0985 806 124/40M 40 m 900004185 0985 806 124/50M 50 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 55 m 900004187 0985 806 124/5M 50 m 900004577 0985 806 124/5M 55 m 900004188 0985 806 124/5M 60 m 900004578 0985 806 124/5M 60 m	900005029	0985 806 124/0.15M	0.15 m
900004563 0985 806 124/0.6M 0.6 m 900004178 0985 806 124/1M 1 m 900004180 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 8 m 900004568 0985 806 124/8M 9 m 900004569 0985 806 124/10M 10 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/14M 15 m 900004574 0985 806 124/15M 18 m 900004575 0985 806 124/2M 20 m 900004570 0985 806 124/2M 20 m 900004571 0985 806 124/2M 25 m 900004572 0985 806 124/2M 27 m 900004574 0985 806 124/2M 24 m 900004575 0985 806 124/2M 25 m 900004576 0985 806 124/30M 30 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/30M 40 m 900004184 0985 806 124/30M 50 m 900004185 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 60 m 900004577 0985 806 124/5M 60 m 900004578 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m	900004247	0985 806 124/0.3M	0.3 m
900004178 0985 806 124/1M 1 m 900004180 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/4M 4 m 900004186 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 8 m 900004568 0985 806 124/9M 9 m 900004569 0985 806 124/9M 10 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/14M 14 m 900004571 0985 806 124/14M 15 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/20M 20 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/2M 24 m 900004575 0985 806 124/24M 24 m 900004576 0985 806 124/2M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/3M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 60 m 900004577 0985 806 124/5M 60 m 900004578 0985 806 124/75M 70 m 900004578 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m	900004175	0985 806 124/0.5M	0.5 m
900004180 0985 806 124/2M 2 m 900004564 0985 806 124/3M 3 m 900004565 0985 806 124/4M 4 m 900004186 0985 806 124/5M 5 m 900004566 0985 806 124/5M 7 m 900004567 0985 806 124/8M 8 m 900004568 0985 806 124/9M 9 m 900004569 0985 806 124/9M 10 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/15M 18 m 900004572 0985 806 124/20M 20 m 900004573 0985 806 124/2M 24 m 900004574 0985 806 124/2M 25 m 900004575 0985 806 124/2M 27 m 900004576 0985 806 124/30M 30 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/5M 55 m 900004185 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 60 m 900004578 0985 806 124/75M 70 m 900004188 0985 806 124/75M 70 m 900004188 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m	900004563	0985 806 124/0.6M	0.6 m
900004564 0985 806 124/3M 3 m 900004565 0985 806 124/4M 4 m 900004566 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/8M 8 m 900004569 0985 806 124/9M 9 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/15M 20 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/25M 25 m 900004576 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/45M 45 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/5M 55 m 900004186 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/5M 60 m 900004578 0985 806 124/75M 70 m 900004188 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m	900004178	0985 806 124/1M	1 m
900004565 0985 806 124/4M 4 m 900004186 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 8 m 900004569 0985 806 124/9M 9 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/12M 12 m 900004571 0985 806 124/12M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/25M 25 m 900004576 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/5M 50 m 900004185 0985 806 124/5M 50 m 900004187 0985 806 124/5M 50 m 900004187 0985 806 124/5M 50 m 900004187 0985 806 124/5M 50 m 900004577 0985 806 124/5M 55 m 900004187 0985 806 124/5M 60 m 900004578 0985 806 124/6M 60 m 900004578 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m	900004180	0985 806 124/2M	2 m
900004186 0985 806 124/5M 5 m 900004566 0985 806 124/6M 6 m 900004567 0985 806 124/6M 7 m 900004568 0985 806 124/8M 8 m 900004569 0985 806 124/10M 10 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004572 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/25M 27 m 900004181 0985 806 124/27M 27 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/35M 35 m 900004184 0985 806 124/40M 40 m 900004185 0985 806 124/40M 45 m 900004186 0985 806 124/55M 55 m 900004187 0985 806 124/55M 55 m 900004187 0985 806 124/55M 55 m 900004188 0985 806 124/60M 60 m 900004578 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m	900004564	0985 806 124/3M	3 m
900004566 0985 806 124/6M 6 m 900004567 0985 806 124/7M 7 m 900004568 0985 806 124/8M 8 m 900004569 0985 806 124/9M 9 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004573 0985 806 124/24M 25 m 900004574 0985 806 124/27M 27 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/5M 45 m 900004185 0985 806 124/5M 50 m 900004187 0985 806 124/5M 50 m 900004187 0985 806 124/5M 55 m 900004188 0985 806 124/6M 60 m 900004577 0985 806 124/6M 60 m 900004578 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m 900004188 0985 806 124/70M 70 m	900004565	0985 806 124/4M	4 m
900004567 0985 806 124/7M 7 m 900004568 0985 806 124/8M 8 m 900004569 0985 806 124/9M 9 m 900004176 0985 806 124/10M 10 m 900004570 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/18M 20 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/40M 45 m 900004185 0985 806 124/5M 55 m 900004187 0985 806 124/5M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004578 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m 900004189 0985 806 124/75M 80 m	900004186	0985 806 124/5M	5 m
900004568 0985 806 124/8M 8 m 900004569 0985 806 124/9M 9 m 900004570 0985 806 124/10M 10 m 900004571 0985 806 124/14M 14 m 900004572 0985 806 124/15M 15 m 900004572 0985 806 124/18M 20 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 30 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004187 0985 806 124/50M 50 m 900004187 0985 806 124/56M 65 m 900004188 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m 900004189 0985 806 124/75M 75 m	900004566	0985 806 124/6M	6 m
900004569 0985 806 124/9M 9 m 900004176 0985 806 124/10M 10 m 900004570 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004179 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/30M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004187 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004578 0985 806 124/75M 75 m 900004188 0985 806 124/75M 75 m 900004189 0985 806 124/75M 75 m	900004567	0985 806 124/7M	7 m
900004176 0985 806 124/10M 10 m 900004570 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 20 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004568	0985 806 124/8M	8 m
900004570 0985 806 124/12M 12 m 900004571 0985 806 124/14M 14 m 900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004573 0985 806 124/20M 20 m 900004574 0985 806 124/24M 24 m 900004575 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004187 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004569	0985 806 124/9M	9 m
900004571 0985 806 124/14M 14 m 900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004179 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/55M 50 m 900004187 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004176	0985 806 124/10M	10 m
900004177 0985 806 124/15M 15 m 900004572 0985 806 124/18M 18 m 900004179 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004187 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004576 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004188 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004570	0985 806 124/12M	12 m
900004572 0985 806 124/18M 18 m 900004179 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/75M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004571	0985 806 124/14M	14 m
900004179 0985 806 124/20M 20 m 900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/75M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004177	0985 806 124/15M	15 m
900004573 0985 806 124/24M 24 m 900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004184 0985 806 124/40M 40 m 900004185 0985 806 124/45M 45 m 900004186 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004572	0985 806 124/18M	18 m
900004574 0985 806 124/25M 25 m 900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004179	0985 806 124/20M	20 m
900004575 0985 806 124/27M 27 m 900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004573	0985 806 124/24M	24 m
900004181 0985 806 124/30M 30 m 900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004574	0985 806 124/25M	25 m
900004182 0985 806 124/35M 35 m 900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004575	0985 806 124/27M	27 m
900004183 0985 806 124/40M 40 m 900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004181	0985 806 124/30M	30 m
900004184 0985 806 124/45M 45 m 900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004182	0985 806 124/35M	35 m
900004185 0985 806 124/50M 50 m 900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004183	0985 806 124/40M	40 m
900004576 0985 806 124/55M 55 m 900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004184	0985 806 124/45M	45 m
900004187 0985 806 124/60M 60 m 900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004185	0985 806 124/50M	50 m
900004577 0985 806 124/65M 65 m 900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004576	0985 806 124/55M	55 m
900004188 0985 806 124/70M 70 m 900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004187	0985 806 124/60M	60 m
900004578 0985 806 124/75M 75 m 900004189 0985 806 124/80M 80 m	900004577	0985 806 124/65M	65 m
900004189 0985 806 124/80M 80 m	900004188	0985 806 124/70M	70 m
	900004578	0985 806 124/75M	75 m
900004579 0985 806 124/85M 85 m	900004189	0985 806 124/80M	80 m
	900004579	0985 806 124/85M	85 m

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product

Disclosure is not to be considered a warranty or quality specification. I egulations based on their individual usage of the product.	Regulatory information is for guidance purposes	only. Product users are responsible for determining	the applicability of legislation and