



Product: [32P1620](#)

Inst PVC/PVC, 20 Pr #16 Str BC, PVC Ins E1, IS/OS, Blk PVC Jkt, 300V
PLTC ITC CMG

Product Description

UL Instrumentation, 20 Pair 16AWG (7x24) Bare Copper, PVC Insulation E1 Color Code, Individual & Overall Beldfoil® Shield, Black PVC Outer Jacket, PLTC ITC CMG AWM 2464 SUN RES

Technical Specifications

Product Overview

Suitable Applications:	Industrial Control, Raceways Cable trays and ducts, Digital Control, Instruments (4-20ma, 0-10v, ...), low voltage digital control (24v, ...), encoders, control circuits, distributed control system (DCS), programmable logic controller (PLC), Solenoids, Valves, Actuators, Positioners
------------------------	---

Physical Characteristics (Overall)

Conductor

AWG	Stranding	No. of Pairs
16	7x24	20

Conductor Count:	40
------------------	----

Insulation

Material	Nominal Diameter
PVC - Polyvinyl Chloride	0.090 in

Color Chart

Number	Color
1	Black & White
2	Black & White
3	Black & White
4	Black & White
5	Black & White
6	Black & White
7	Black & White
8	Black & White
9	Black & White
10	Black & White
11	Black & White
12	Black & White
13	Black & White
14	Black & White
15	Black & White
16	Black & White
17	Black & White
18	Black & White
19	Black & White
20	Black & White

Inner Shield

Type	Material	Coverage [%]	Drainwire Material	Drainwire AWG

Tape	Bi-Laminate (Alum+Poly)	100%	TC - Tinned Copper	20 AWG
------	-------------------------	------	--------------------	--------

Outer Shield

Type	Material	Material Trade Name
Tape	Bi-Laminate (Alum+Poly)	Beldfoil®

Outer Jacket

Material	Nominal Diameter	Nominal Wall Thickness
PVC - Polyvinyl Chloride	1.003 in	0.074 in

Electrical Characteristics

Conductor DCR

Nominal Conductor DCR
4.2 Ohm/1000ft

Current

Max. Recommended Current [A]
3.2 Amps per Conductor at 30°C

Voltage

UL Voltage Rating
300 V RMS

Temperature Range

UL Temp Rating:	105°C
Operating Temperature Range:	-25°C To +105°C

Mechanical Characteristics

Min Bend Radius (Overall):	8.024 in
----------------------------	----------

Standards

NEC/(UL) Compliance:	CMG, ITC, PLTC
----------------------	----------------

Applicable Environmental and Other Programs

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2011/65/EU (RoHS 2):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU (RoHS 2 amendment):	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	Yes

Suitability

Suitability - Outdoor:	Yes
Suitability - Sunlight Resistance:	Yes

Flammability, LS0H, Toxicity Testing

UL Flammability:	UL1685 Vertical Tray Flame Test
IEEE Flammability:	IEEE 1202
UL voltage rating:	300 V RMS (PLTC)

History

Update and Revision:	Revision Number: 0.48 Revision Date: 05-31-2024
----------------------	---

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief

at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.