



**Product:** <u>8790</u> ☑

Line Level Audio Cable, 1 Pr #18 Str TC, 85% TC Spiral Serve, PVC Jkt, CMG

# **Product Description**

Line Level Audio Cable, 1 Pair 18 AWG (7 x 26) Tinned Copper PVC insulation, 85% Tinned Copper Spiral Serve/Screen, PVC Jacket, CMG

## **Technical Specifications**

## **Product Overview**

Suitable Applications:	Line level audio; Low voltage analog signals and control

#### **Construction Details**

#### Conductor

l	Element	No. of Elements	Size	Stranding	Material
	Pair(s)	1	18 AWG	7x26	TC - Tinned Copper

#### Insulation

Element	Material	Nom. Thickness	Nom. Insulation Diameter	Color Code
Pair(s)	PVC - Polyvinyl Chloride	0.022 in (0.56 mm)	0.090 in (2.3 mm)	Red & White

### Outer Shield

Shield Type	Material	Coverage
Spiral Serve / Screen	Tinned Copper (TC)	85%

### Outer Jacket

|--|

## **Electrical Characteristics**

### Electricals

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Capacitance Cond-to-Other (Conds + Shield)	Nom. Characteristic Impedence	Nom. Velocity of Prop.	Max. Current
Pair(s)	7.2 Ohm/1000ft	53 pF/ft (170 pF/m)	92 pF/ft (300 pF/m)	41 Ohm	65%	8 Amps per conductor @ 25°C

### Voltage



## **Mechanical Characteristics**

### Temperature

<b>UL Temperature</b>	Operating		
60°C	-20°C to +60°C		

### Bend Radius

Stationary Min.	Installation Min.
2.4 in (61 mm)	2.4 in (61 mm)

Max. Pull Tension:	45 lbs (20 kg)
Bulk Cable Weight:	31 lbs/1000ft

#### **Standards and Compliance**

Environmental Suitability:	ndoor (Not Riser or Plenum), Indoor		
Flammability / Reaction to Fire:	UL 1685 FT4 Loading, FT4, IEEE 1202, IEC 60332-1-2		
CPR Compliance:	CPR Euroclass: Eca		
NEC / UL Compliance:	Article 800, CMG		
CEC / C(UL) Compliance:	CMG		
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)		
UK Regulation Compliance:	UKCA Mark		
APAC Compliance:	China RoHS II (GB/T 26572-2011)		

#### History

Update and Revision:	Revision Number: 0.460 Revision Date: 02-03-2025

#### **Part Numbers**

#### **Variants**

Item #	Color	Putup Type	Length	UPC	Footnote
8790 060500	Chrome	Reel	500 ft	612825216469	С
8790 060U500	Chrome	UnReel	500 ft	612825216568	
8790 0601000	Chrome	Reel	1,000 ft	612825216452	С
8790 060U1000	Chrome	UnReel	1,000 ft	612825216438	
8790 0605000	Chrome	Reel	5,000 ft	612825216421	С

#### © 2025 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.