



Product: [AX103151](#)

FIBER OPTIC STRIPPER

Product Description

FIBER OPTIC STRIPPER

Technical Specifications

Product Overview

Environmental Space:	Indoor
Suitable Applications:	Indoor Fiber Optic Stripper can be used to remove the Fiber Optic Cable jacket from 3.0mm to 2.0mm, 900um tight buffer fiber to 250um coated fiber or to bare fiber, Fiber-to-the-desk, Distribution frames, Direct termination to equipment, Fiber cable repair, Campus, Customer premise / Access network.

Construction

Weight:	140 g
Length:	152 mm

Product Notes

Packaging:	Individually packaged in a plastic bag
Notes:	Fiber Stripper has large strip notch at the tip of the tool is used to remove 1.6mm to 3.0mm jacketing. The middle strip notch is used to remove 600um to 900um buffer. The smallest strip notch is used to strip the 250um coating to expose the 125um fiber cladding.

History

Update and Revision:	Revision Number: 0.153 Revision Date: 09-14-2023
----------------------	--

© 2024 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.