

Product: [BAT-ANT-N-MiMo5-9N-IP65](#) 



5 GHz MiMo antenna

Product Description

5 GHz MiMo antenna for sectoral illumination

Technical Specifications

Product description

Description:	5 GHz MiMo antenna for sectoral illumination
Part Number:	943981013
Cable specification:	N-plug
Cable Length:	3 x 90 cm directly attached

Radio technology

Antenna connector:	N male
Elevation, Azimuth:	3 dB beam width 60° / 60°
Frequency band:	5150 MHz - 5875 MHz
Gain:	9 dBi
Polarisation:	triple linear, 45° slant
Range:	please refer to the antenna distance calculator
VSWR:	1.5

Ambient conditions

Operating temperature:	-40-+80 °C
Storage/transport temperature:	-40-+80 °C
Wind load:	15 N at 160 km/h

Mechanical construction

Dimensions (WxHxD):	101 mm x 80 mm x 35 mm
Weight:	0.11 kg
Material:	LEXAN EXL 9330
Mounting:	Wall, mast
Protection class:	IP65

Scope of delivery and accessories

Scope of delivery:	antenna, mounting material, 3x pigtail N to RP-SMA
--------------------	--

Further Instructions

Update and Revision:	Revision Number: 0.48 Revision Date: 11-11-2020
----------------------	---

© 2020 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.