

Product: CAT5e DataConnect Panel 24P ☑

CAT5e DataConnect Patch Panel, UTP, 24 Port



# **Product Description**

CAT5e DataConnect Patch Panel, UTP, Flat, 24-Port, 1U (Preloaded)

## **Technical Specifications**

## **Product Overview**

Suitable Applications:	Ethernet 10/ 100/ 1000BASE-T, 2.5GBASE-T

## **Physical Characteristics (Overall)**

Height:	1.75 in
Width:	19.000 in
Depth:	2.960 in
Port Count:	24 Port
Front Connection:	Flush
Packaging:	Individually packaged in a cardboard box.
Weight:	2.008 lbs

## **Connectors**

## Materials

Description	Material	Color	
Panel	Steel	Black	
Management Bar	Steel/Plastic	Black	

## **Construction and Dimensions**

Max Capacity:	24 connectors (preloaded)
---------------	---------------------------

## **Electrical Characteristics**

Dielectric Strength:	1,000 V RMS @ 60 Hz for 1 minute
Current Rating:	1.500 A
Insulation Resistance:	500 M-Ohm Minimum
Termination Resistance:	2.5 mOhm

## **Temperature Range**

Installation Temperature Range:	-10°C To +60°C
Storage Temperature Range:	-40°C To +70°C
Operating Temperature Range:	-10°C To +60°C

## **Mechanical Characteristics**

Footprint/Type:	DataConnect
Tool Compatibility:	Belden 110 Connecting Tool (AX100749), MediaFlex Termination Station (AX101852), Belden Rapid TerminationTool (AX105566)
Plug /Jack Compatibility:	RJ45
Cable/Connector Retention:	11.25 lbs
Connector/Hardware Retention:	20 lbs

|--|

#### **Standards**

UL Rating:	UL94V-0
ISO/IEC Compliance:	IEC 60603-7
Data Category:	Category 5e
TIA/EIA Compliance:	ANSI/TIA 1096-A (formerly FCC Part 68-F)
IEEE Compliance:	IEEE 802.3at type 1 and 2 (PoE) up to 30W, IEEE 802.3bt type 3 and 4 (PoE) up to 100W, CISCO (UPOE) up to 60W, Power over HDBaseTTM (POH) up to 100W

## **Applicable Environmental and Other Programs**

Environmental Space:	Indoor
EU Directive 2011/65/EU (RoHS 2):	Yes
MII Order #39 (China RoHS):	EUP 50

## Flammability, LS0H, Toxicity Testing

Safety Listing:	c(UL)us Listed, UL 1863, UL File E77103

## **Related Part Numbers**

Related Parts:	DataConnect CAT5E Modular Jacks, DataConnect CAT5E Modular cord

## Variants

Item #	Color	Put-Up Type	UPC
DC5PPF1U24BK	Black	1U	611589249195

## **Product Notes**

Included Parts:	4 Screws (12x24); 1 Printable Label Half-Sheet; 2 Velcro Straps; 1 Rear Cable Support Bar; 1 Installation Guide; 24 Protective Caps
Notes:	For proper installation refer to Installation Guide PX106898 included with the product

## History

Update and Revision:	Revision Number: 0.31 Revision Date: 06-01-2023

## © 2024 Belden, Inc

## All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.