



Product: [FRAS6Y](#)



SLOTLESS JOINER, 600 mm DUCT

Product Description

Fiber Raceway Slotless Joiner, 4x24 (100mm x 600mm), Standard, Yellow

Technical Specifications

Product Overview

Environmental Space:	Indoor
----------------------	--------

Construction

Weight:	1.852 lbs
Overall Height:	4.094 in
Overall Width:	3.937 in
Overall Length:	25.354 in

Product Material

Materials

Material
Fire retardant plastic, Halogen free, UL94-VO rated

Product Notes

Notes:	This joiner is used to link standard 600mm straight ducting with any duct components. It provides a smooth & strong joint. Typical other components are; horizontal elbows and 600mm to 300mm reducers etc.; which require a joiner at each interface. The joiner is first fitted to the square ends of adjacent 600mm duct (or components) and 6 x Ø8mm holes are drilled through both duct sides and ends, matching the holes in the joiner. Then a small Ø8mm screw rivet (supplied) is inserted in each hole. The end of the screw rivet expands to make a mechanically strong and permanent joint.
--------	---

History

Update and Revision:	Revision Number: 0.2 Revision Date: 11-05-2025
----------------------	--

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.