



1	2.1	74.3	72.3	72.3	70.3	67.8	64.8	20.0	67.0	67.0	40.0	35.0
4	3.8	65.3	63.3	61.5	59.5	55.8	52.8	23.0	67.0	66.2	40.0	23.0
8	5.3	60.8	58.8	55.4	53.4	49.7	46.7	24.5			40	16.9
10	5.9	59.3	57.3	53.4	51.4	47.8	44.8	25.0	67.0	58.2	40.0	15.0
16	7.5	56.2	54.2	48.8	46.8	43.7	40.7	25.0			38.0	10.9
20	8.4	54.8	52.8	46.4	44.4	41.8	38.8	25.0	67.0	52.2	37.0	9.0
25	9.4	53.3	51.3	44.0	42.0	39.8	36.8	24.3	67.0	50.2	36.0	7.0
31.25	10.5	51.9	49.9	41.4	39.4	37.9	34.9	23.6	67.0	48.3	35.1	5.1
62.5	15.0	47.4	45.4	32.4	30.4	31.9	28.9	21.5			32.0	
100	19.1	44.3	42.3	25.2	23.2	27.8	24.8	20.1	62.5	38.2	30.0	
200	27.6	39.8	37.8	12.2	10.2	21.8	18.8	18.0			27.0	
250	31.1	38.3	36.3	7.3	5.3	19.8	16.8	17.3	56.5	30.2	26.0	
300	34.3	37.1	35.1	2.9	0.9	18.3	15.3	16.8	55.3	28.7	25.2	
350	37.2	36.1	34.1			16.9	13.9	16.3	54.3	27.3	24.6	
400	40.1	35.3	33.3			15.8	12.8	15.9	53.5	26.2	24.0	
450	42.7	34.5	32.5			14.7	11.7	15.5	52.7	25.1	23.5	
500	45.3	33.8	31.8			13.8	10.8	15.2	52.0	24.2	23.0	

#### Voltage

UL Voltage Rating
300 V (CMR), 600 V (AWM)

### Mechanical Characteristics

#### Temperature

UL Temperature	Operating	Installation	Storage
75°C	-40°C To +75°C	-25C To +75°C	-40°C To +60°C

#### Bend Radius

Installation Min.	Flexing Min.
2.6 in (66 mm)	5.1 in (130 mm)

Table Notes:	These cable are rated for both indoor and outdoor applications. For outdoor installations, the continuous flexing bend radius must be applied for outdoor use. Outdoor installations are susceptible to frequent movement due to environmental factors.
Bulk Cable Weight:	87.5 lbs/1000ft (130 kg/km)

### Standards and Compliance

Environmental Suitability:	Indoor/Outdoor, Indoor, Outdoor, Sunlight Resistance, Oil Resistance
Flammability / Reaction to Fire:	UL 1685 Flame only
CPR Compliance:	CPR Euroclass: Fca
NEC / UL Compliance:	Article 800, Article 725, PLTC - CMR/CMX Outdoor
AWM Compliance:	AWM 21047
IEEE Compliance:	IEEE 802.3bt Type 1, Type 2, Type 3, Type 4
NEMA Compliance:	ANSI/NEMA WC-66
Data Category:	Category 6A
TIA/EIA Compliance:	ANSI/TIA-568.2-D Category 6A
ISO/IEC Compliance:	ISO/IEC 11801-1, IEC 61156-5
European Directive Compliance:	EU Directive 2015/863/EU (RoHS 2 amendment), REACH, EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE), REACH: 2020-01-16
APAC Compliance:	China RoHS II (GB/T 26572-2011)

### Product Notes

Notes:	Electrical values are expected performance based on cable testing and representative performance within a typical system.
--------	---

### History

Update and Revision:	Revision Number: 0.10 Revision Date: 11-14-2024
----------------------	---

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.