



Product: [PPIRRS](#)

PPRO Rack manager without LCD display

**Product Description**

PatchPro 19"RACK MNG, Without DISPLAY, 30 PP CONNECTED MAX, BLACK, ROHS

**Technical Specifications**

**Product Overview**

Suitable Applications:	Horizontal and building cabling for Intelligent (RFID based) Patching. Support current and future Category 6a and 6 applications, such as: 10GBase-T (10 Gigabit Ethernet), 1000Base-T (Gigabit Ethernet), 100 Base-T, 10 Base-T, FDDI, ATM
------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Physical Characteristics (Overall)**

Height:	35 mm
Width:	150 mm
Depth:	93 mm
Packaging:	Individually packaged in a box.
Weight:	0.2 kg

**Connectors**

**Materials**

Description	Material	Color
Body of the Rack Manager	ABS Plastic	Grey-white
Interface	USB, LAN, Bus	

**Construction and Dimensions**

Max Capacity:	30 Panels
---------------	-----------

**Electrical Characteristics**

Current Rating:	1.500 A
-----------------	---------

**Temperature Range**

Storage Temperature Range:	-20°C To +85°C
Operating Temperature Range:	0°C To +40°C

**Standards**

TIA/EIA Compliance:	ISO/IEC 11801-1:2017; TIA 568-C.3
---------------------	-----------------------------------

**Applicable Environmental and Other Programs**

Environmental Space:	Indoor
EU Directive 2011/65/EU (RoHS 2):	Yes
MII Order #39 (China RoHS):	EUP 50

**Related Part Numbers**

Related Parts:	PatchPro Connectivity, Upgrade RFID kit
----------------	-----------------------------------------

**Variants**

Item #	Color	Packaging
PPIRRS	Black	Individually packaged in a box.

**History**

Update and Revision:	Revision Number: 0.34 Revision Date: 02-27-2024
----------------------	-------------------------------------------------

© 2024 Belden, Inc  
 All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.