



**Product:** [Rail Power Injector, RPI-P1-8PoE](#)

Industrial, fanless Fast/Gigabit PoE Injector, PoE/PoE+ (IEEE 802.3at), 30W (25.5W at load) per port

**Product Description**

The RPI-P1-8PoE is a DIN-rail mountable DC-only input PoE injector with built-in PoE+ functionality. It provides 8x RJ45 Ethernet ports for data input and 8xRJ45 Ethernet ports with PoE+ according to standard IEEE802.3at.

**Technical Specifications**

**Product description**

Type:	RPI-P1-8PoE
Part Number:	942225001
Port type and quantity:	8 x 10/100/1000 BASE-TX ports

**Power requirements**

Operating Voltage:	48 - 56 VDC
Power consumption:	245 W

**Ambient conditions**

MTBF:	152 years (48V/5.4A) (according SN29500, IEC61709)
Operating temperature:	-25-+70 °C
Relative humidity (non-condensing):	5-95 %

**Mechanical construction**

Dimensions (WxHxD):	39 mm x 128 mm x 117 m
Weight:	360 g
Protection class:	IP20

**Approvals**

Safety of industrial control equipment:	EN60950-1, EN 61131-2 , cUL60950-1 (pending)
Transportation:	EN50121-4

**Further Instructions**

Product Documentation:	<a href="https://www.doc.hirschmann.com">https://www.doc.hirschmann.com</a>
Certificates:	<a href="https://www.doc.hirschmann.com/certificates.html">https://www.doc.hirschmann.com/certificates.html</a>

**Variants**

Item #	Type
942225001	RPI-P1-8PoE, PoE Injector

Update and Revision:	Revision Number: 0.80 Revision Date: 11-09-2022
----------------------	---

at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.